



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
999 18TH STREET - SUITE 300
DENVER, CO 80202-2466
Phone 800-227-8917
<http://www.epa.gov/region08>

2004 AUG 18 PM 3:10

FILED
EPA REGION VIII
HEARING CLERK

AUG 18 2004

Ref: 8ENF-W

Camp Bethel
c/o Tom Herzog, Executive Director
P.O. Box 70
Dayton, WY 82836

Re: Docket Number Correction
Docket No. SDWA-08-2003-0040
PWS ID #WY5601497

Dear Mr. Herzog:

This letter is being written to inform you of a technical correction to the Amended Administrative Order ("Amended Order") the United States Environmental Protection Agency (EPA) issued to Camp Bethel, Inc. ("Camp Bethel") Water System. On July 18, 2003, EPA issued an Administrative Order ("Order") to Camp Bethel (Docket Number SDWA-08-2003-0040). On November 19, 2003, EPA issued an Amended Order to Camp Bethel which inadvertently incorrectly cited the Docket Number as SDWA-08-2003-0059. Please note, the correct Docket Number for *both* the Order *and* the Amended Order is **SDWA-08-2003-0040**.

On August 11, 2004, EPA closed both the Order and the Amended Order by sending a closure letter to you. This current letter in no way changes the closure other than to correct the docket number. As stated in the August 11th letter, you are still required to comply with the National Primary Drinking Water Regulations.

Thank you for your attention to this matter and for your continued compliance with the regulations. If you have any questions related to this matter, please contact Lisa Kahn at (303) 312-6896.

Sincerely,

Lisa Kahn, Team Leader
Drinking Water Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice



Printed on Recycled Paper